

A unisex vest with a simple cable pattern to add some fun and interest. I knit this for my daughter as an addition to her school uniform but could be a great playtime vest too.

Gauge = 4 sts/inch

Needle = US 7, or size needed to

obtain gauge

Size 4 (5, 6, 7)

Chest size 22" (23", 24", 25")

**Notions:** 

24 inch size 7 circular needle

Size 7 DPN's

Yarn needle

**Abbreviations:** 

CO cast on BO bind off

K knit P purl SS stockinette stitch PM place marker

SM slip marker

C4F= Slip 2 stitches to cable needle and hold in front, P2, K2 from cable needle C4B= Slip 2 stitches to cable needle and hold in back, K2, P2 from cable needle

### Instructions:

CO 88 (92, 96, 100) sts, PM and join in round

Round 1 to 5: K2, P2

Round 6: Set up markers: K6 (6, 7, 7), PM, K10, PM, K28 (30, 31, 33), PM, K to beg marker

Round 7: Knit for 15 rounds, slipping markers

# Start cable pattern:

Round 22: Knit to first marker, start cable pattern chart to next marker, knit to end, slipping middle marker.

## Cable Pattern:

•	•	Х	Х	•	•	Х	Χ	•	•	7
•	•	•	Х	Х	Х	Х	•	•	•	6
•	Υ				Y				•	5
•	Χ	Χ	•	•	•	•	Х	Х	•	4
•	Χ	Х	•	•	•	•	Х	Х	•	3
•	Χ	Х	•	•	•	•	Х	Х	•	2
•	Χ	Х	•	•	•	•	Х	Х	•	1

purl, knit on WSX

X knit, purl on WS

Y C4B

Y C4F

Repeat these 7 rounds until you have 9 (9.5, 10, 10.5) inches from CO

Divide for Arm Holes:

Next Row: (keeping in cable stitch pattern)

Knit to first marker, row 1 of chart, knit to middle marker and turn work

Divide for V-neck:

(you may find it easier to work the 2 front panels on DPN's)

## Right side (without cable)

Next row(WS): Starting at armhole with wrong side facing you, BO 2 sts, P20 (21, 22, 23),

turn work

Next row: K2tog, knit to end 19 (20, 21, 22) sts

Next row: purl

Repeat these last 2 rows until 16 stitches remain

Knit in SS for 5 (5.5, 6, 6.5) inches from armhole divide. Leave these 16 live stitches on

the needle.

## Left side (with cable)

First Row (WS): Starting at the armhole, BO 2 sts, purl to marker, row 2 of the chart,

(being sure to work the chart on the WS), purl to end

Next Row (RS): K2 tog, knit to marker, row 3 of chart, knit to end

Next Row (WS): purl to marker, row 4 of chart, purl to end

Next Row (RS): K2tog, knit to marker, row 5 of chart, knit to end

Continue in this way until 16 stitches remain.

After 3<sup>rd</sup> cable is completed switch to straight SS for 5 (5.5, 6, 6.5) inches from arm hole divide. Leave these 16 live stitches on a spare needle.

#### Knit Back:

(WS) BO 2 sts, P42 (44, 46, 48)

Next row: BO 2 sts, K40 (42, 44, 46)

Knit in stockinette stich for 5 (5.5, 6, 6.5) inches from arm hole divide. Leave stitches live on the needle.

Turn work inside out and do a 3 needle bind off with the first shoulder, BO 8 (10, 12, 14) stitches in the middle, leaving 16 stitches to do a 3 needle bind off with other shoulder. Weave in ends.

#### Trim neck and arms:

### For neck:

Starting at middle front point, pick up and knit approx 40 stitches around the edge of the neck. Work back and forth in 2X2 ribbing for 2 rows. BO in pattern. Stitch the middle joint together.

## For arms:

Pick up and knit approx 20 stitches around armhole. Knit in 2X2 ribbing for 2 rows. BO in pattern. Repeat for other arm. Weave in ends, block and enjoy!